

Quantification tool - Bug #474

In the Regimen dialog box, the division line between the intensive and continuous phases shouldn't be movable.

03/14/2013 02:36 PM - Luis Gustavo do Valle Bastos

Status:	Closed	Start date:	03/14/2013
Priority:	High	Due date:	03/20/2013
Assignee:	Luis Gustavo do Valle Bastos	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	Version 1.0	Spent time:	0.35 hour
Description			

History

#1 - 03/15/2013 08:39 AM - Oleksii Kurasov

- Status changed from New to Closed
- % Done changed from 0 to 100

#2 - 03/18/2013 12:22 PM - Luis Gustavo do Valle Bastos

- Status changed from Closed to Feedback
- Priority changed from Normal to High

It's still possible to move the entire columns and reverse the position of the intensive and continuous phase's columns. Please, correct.

#3 - 03/20/2013 05:36 AM - Oleksii Kurasov

- Due date set to 03/20/2013
- Status changed from Feedback to Resolved
- Assignee changed from Oleksii Kurasov to Luis Gustavo do Valle Bastos

#4 - 03/21/2013 09:39 AM - Luis Gustavo do Valle Bastos

- Status changed from Resolved to Closed

Tested and adequate.